## **EAST Search History**

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Si	1055	709/220-224.ccls. and @py<"2000"	US-PGPUB; USPAT	OR	ON	2006/08/28 11:53
S2	9	709/220-224.ccls. and @py< "2000" and robot \$4	US-PGPUB; USPAT	OR	ON	2004/04/15 14:50
S3	6	709/220-224.ccls. and @py<"2000" and robot \$4 and client and server	US-PGPUB; USPAT	OR	ON	2004/04/15 14:50
S4	6	709/220-224.ccls. and @py<"2000" and robot \$4 and client and server and network	US-PGPUB; USPAT	OR	ON	2004/04/15 14:55
S5	5	709/223,224.ccls. and @py<"2000" and robot \$4 and client and server and network	US-PGPUB; USPAT	OR	ON	2004/04/15 14:55
S6	147	709/224.cds. and @py<"2000" and client and server and network	US-PGPUB; USPAT	OR	ON	2004/04/15 17:32
S7	39	709/224.cds. and @py<"2000" and client and server and network and (market\$3 or ad or advertisement or commericial or sale)	US-PGPUB; USPAT	OR	ON	2004/04/15 17:33
S8	39	709/224.ccis. and @py<"2000" and client and server and network and (market\$3 or ad or advertisement or commericial or sale or sell)	US-PGPUB; USPAT	OR	ON	2004/04/15 17:35
S9	29	709/224.ccls. and @py<"2000" and client and server and network and (market\$3 or ad or advertisement or commericial or sale or sell) and (notif\$8 or alert\$3 or alarm)	US-PGPUB; USPAT	OR	ON	2004/04/15 17:48

S10	2	709/224.ccis. and  @py<"2000" and client  and server and  network and (market\$3  or ad or advertisement  or commercial or sale  or sell) and (notif\$8 or  alert\$3 or alarm) and  (callback or "call-back")	US-PGPUB; USPAT	OR	ON	2004/04/15 17:55
S11	9	709/224.ccls. and @py<"2000" and client and server and network and (notif\$8 or alert\$3 or alarm) and (callback or "callback" or "call back")	US-PGPUB; USPAT	OR	ON	2004/11/18 20:54
S12	1	709/224.ccls. and @py<"2000" and client and server and network and (notif\$8 or alert\$3 or alarm) and robot\$3	US-PGPUB; USPAT	OR	ON	2004/04/19 06:39
S13	1	"5678002".pn.	US-PGPUB; USPAT	OR	ON	2005/06/23 17:43
S14	1	"5913040".pn.	US-PGPUB; USPAT	OR	ON	2004/04/22 12:58
S15	0	US005996010A.pn.	US-PGPUB; USPAT	OR	ON	2004/04/22 12:59
S16	1	"5996010".pn.	US-PGPUB; USPAT	OR	ON	2004/04/22 12:59
S17	92	709/224.ccls. and @py< "2000" and (realtime or "real- time")	US-PGPUB; USPAT	OR	ON	2004/11/18 20:54
S18	3	709/224.cols. and @pys-"2000" and client and server and network and (notif\$8 or alert\$3 or alarm) and (callback or "call- back" or "call back") and (realtime or "real- time")	US-PGPUB; USPAT	OR	ON	2004/11/22 15:32

S19	28	709/224. ccls. and @ay<"2000" and client and server and network and (notif\$8 or alert\$3 or alarm) and (callback or "callback" or "call back") and (realtime or "realtime")	US-PGPUB; USPAT	OR	ON	2004/11/22 15:33
\$20	20	709/224 cots. and @ay<"2000" and client and server and network and (notif\$8 or alert\$3 or alarm) and (callback or "callback") and (realtime or "realtime") and ((client or customer) with (data or inforamtion or status))	US-PGPUB; USPAT	OR	ON	2004/11/22 15:35
S21	116	709/224 ccls and dient and ceint and server and inetwork and (notif\$8 or alert\$8 or alert\$8 or alert\$8 or alert\$10 and (callback or "callback") and (reallback") and (reallback") and coust oner) with (data or inforamtion or status) not genesys.	US-PGPUB; USPAT	OR	ON	2004/11/22 15:45
\$22	19	709/224.ccls. and @ay<-2000" and client and server and network and (notif\$8 or alert\$3 or alarm) and (callback or "call-back") and (realtime or "real time" or "real-time") and ((client or customer) with (data or inforamtion or status) not genesys. as.	US-PGPUB; USPAT	OR	ON	2004/11/22 16:24

\$23	27	709/224.cds. and (@ay. "2000" and client and server and network and (notif\$8 or alert\$3 or alerm) and (callback or "call-back") and (realtime or "real time" or "real-time") and ((user or customer) with (data or inforamtion or status)) not genesys. as.	US-PGPUB; USPAT	OR	ON	2004/11/22 16:25
S24	892	"709".clas. and (call adj2 back)	US-PGPUB; USPAT	OR	ON	2005/06/23 13:58
\$25	119	"709".clas. and (call adj2 back) and ((client) with agent)	US-PGPUB; USPAT	OR	ON	2005/06/23 13:58
S26	136	"709".clas. and (call adj2 back) and ((client) with (agent or daemon))	US-PGPUB; USPAT	OR	ON	2005/06/23 13:59
S27	6	"709".clas. and ((call adj2 back) with preference) and ((client) with (agent or daemon))	US-PGPUB; USPAT	OR	ON	2005/06/23 13:59
S28	2	"6345305".pn. "5742905".pn.	US-PGPUB; USPAT	OR	ON	2005/06/23 17:56
S29	1132	(call adj2 back) and ((client or customer or user) with (agent or daemon))	US-PGPUB; USPAT	OR	ON	2005/06/23 17:57
S30	270	(call adj2 back) and ((client or customer or user) with (agent or daemon)) and "709". clas.	US-PGPUB; USPAT	OR	ON	2005/06/23 17:57
S31	14	((call adj2 back) with (setting or preference or profile)) and ((client or customer or user) with (agent or daemon)) and "709". clas.	US-PGPUB; USPAT	OR	ON	2005/06/23 21:02

S32	14	((call adj back) with (setting or preference or profile)) and ((client or customer or user) with (agent or daemon)) and "709". clas.	US-PGPUB; USPAT	OR	ON	2005/06/23 21:04
S33	10	((call adj back) with (setting or preference or profile)) and ((client or customer or user) with (agent or daemon)) and "709". clas. and status	US-PGPUB; USPAT	OR	ON	2005/06/23 21:04
S34	5	((call adj back) with (setting or preference or profile)) and ((client or customer or user) with (agent or daemon)) and "709". clas. and ((connect\$7 or online or "on-line") or offline or "off-line") with status)	US-PGPUB; USPAT	OR	ON	2005/06/23 21:08
S35	6	((call adj back) with (setting or preference or profile)) and ((client or customer or user) with (agent or daemon)) and "709". clas. and ((network or availab\$7 or conned\$7 or online or "on-line" or offline or "off-line")	US-PGPUB; USPAT	OR	ON	2005/06/23 21:09
S36	1	S35 not S34	US-PGPUB; USPAT	OR	ON	2005/06/23 21:09
S37	1	"6654815".pn.	US-PGPUB; USPAT	OR	ON	2005/06/24 21:38
S38	492	((call adj back) with (preferen\$9 or profile or trait or character\$7 or setting or (set adj up) or choice or choos \$4 or select\$7)) and (server or host)	US-PGPUB; USPAT	OR	ON	2005/06/24 21:45

S39	208	((call adj back) with (preferen\$9 or profile or trait or character\$7 or setting or (set adj up) or choice or choos \$4 or select\$7)) and (server or host) and (agent or daemon)	US-PGPUB; USPAT	OR	ON	2005/06/24 21:45
S40	154	((call adj back) with (preferen\$9 or profile or trait or character\$7 or setting or (set adj up) or choice or choos \$4 or select\$7)) and (server or host) and ((connect\$7 or (on adj line) or (off adj line) or or network) with (status or flag or update or display\$4 or view\$4))	US-PGPUB; USPAT	OR	ON	2005/06/24 21:49
S41	105	((call adj back) with (preferen\$\$ or preferen\$\$ or preferen\$\$ or preferen\$\$ or setting or (set adj up) or choice or choss up) or choice or choss 44 or select\$\$7) and ((server or host) with (agent or deamonn) and ((connect\$7 or (on adj line) or (off adj line) or line) or line or network) with (status or flag or update or display\$4 or view\$4))	US-PGPUB; USPAT	OR	ON	2005/06/24 21:49
S42	1	"6760767".pn.	US-PGPUB; USPAT	OR	ON	2005/06/26 00:12
S43	1055	709/220-224.ccls. and @py<"2000"	US-PGPUB; USPAT	OR	ON	2006/02/05 16:54
S44	33	\$43 and (client with (agent or daemon)) and ((host or server) with (software or application or applet or program))	US-PGPUB; USPAT	MOR	ON	2006/02/05 17:29
S45	26	S43 and (client with (agent or daemon)) and ((host or server) with (software or application or applet or program)) and (call or telephone)	US-PGPUB; USPAT	OR	ON	2006/02/05 17:31

S46	26	S43 and (client with (agent or daemon)) and ((host or server) with (software or application or applet or program)) and (call or telephone or phone)	US-PGPUB; USPAT	OR	ON	2006/02/05 17:44
S47	12	S43 and (client with (agent or daemon)) and ((host or server) with (software or application or applet or program)) and (telephone or phone)	US-PGPUB; USPAT	OR	ON	2006/02/05 17:46
S48	3	S43 and (client with (agent or daemon)) and ((host or server) with (software or application or applet or program)) and (telephone or phone) and (ads or advertisement or commercial)	US-PGPUB; USPAT	OR	ON	2006/02/05 18:22
S49	5	S43 and (client with (agent or daemon)) and ((host or server) with (software or application or applet or program)) and ((telephone or phone) with call)	US-PGPUB; USPAT	OR	ON	2006/02/05 18:27
S50	3	S43 and (client with (agent or daemon)) and ((host or server) with (software or application or applet or program)) and (notif\$6 with (phone or telephone or call))	US-PGPUB; USPAT	OR	ON	2006/02/05 19:56
S51	589	@ay<"2001" and ("379").clas. and ((call adj back) with (voip or (phone or telephone)))	US-PGPUB; USPAT	OR	ON	2006/02/05 19:57
S52	194	@ay<"2001" and ("379").clas. and ((call adj back) with (voip or (phone or telephone))) and (market\$4 or advertis\$6 or commercial)	US-PGPUB; USPAT	OR	ON	2006/02/05 19:57

S53	32	@ay<"2001" and ("379").clas. and ((call adj back) with (voip or (phone or telephone))) and (market\$4 or commercial) and ((thome adj page) or (web adj page) or (web adj site))	US-PGPUB; USPAT	OR	ON	2006/02/05 19:59
S54	1	@ay<"2001" and ((call adj back) with (voip and (phone or telephone))) and ((market\$4 or advertis \$6 or commercial) and ((thome adj page) or (web adj site))	US-PGPUB; USPAT	OR	ON	2006/02/05 21:18
S55	1	@ay<"2001" and ("379").clas. and ((call adj back) with (voip and (phone or telephone))) and ((home adj page) or (web adj page) or (web adj site))	US-PGPUB; USPAT	OR	ON	2006/02/05 21:57
S56	143	@ay<"2001" and ("379").clas. and (call adj back) and (alert or notification) and (advertisement or commercial)	US-PGPUB; USPAT	OR	ON	2006/02/05 21:58
S57	53	@ay<"2001" and ("379") clas and (call adj back) and (aller or notification) and (advertisement or commercial) and (client with (software or program or application or script)) and ((sever or host) with (software or program or application or script))	US-PGPUB; USPAT	OR	ON	2006/02/05 21:59

S58	19	@ay<"2001" and (call adj back) and ((alert or notification) with (client or caller or customer)) and (advertisement or commercial) and (client with (software or program or application or script)) and (sever or host) with (software or program or application or program or application or program or application or script))	US PGPUB; USPAT	OR .	ON	2006/02/05 21:59
S59	1	"6332154".pn.	US-PGPUB; USPAT	OR	ON	2006/08/28 11:55
S60	1	"6332154".pn.	US-PGPUB; USPAT	OR	ON	2008/01/03 16:57
S61	3214	@ay<"2001" and (call with (forward\$3 or back)) and ((user or client or customer) with (status or presence or (on adj line)))	US-PGPUB; USPAT	OR	ON	2008/02/27 02:20
S62	1475	@ay<"2001" and (call with (forward\$3 or back)) and (fuser or client or customer) with (status or presence or (on adj line))) and (human or person or people) and (robotic or auto or automatic)	US-PGPUB; USPAT	OR	ON	2008/02/27 02:22
963	267	@ay<"2001" and (call with (forward\$3 or back) and (fuser or client or customer) with (status or presence or (on adj line))) and (human or person or people) and (robotic or auto or automatic) and "709". clas.	US-PGPUB; USPAT	OR OR	ON	2008/02/27 02:25

S64	215	@ays-"2001" and (call near2 (forward\$3 or back)) and ((user or client or customer) with (status or presence or (on adj line))) and (human or person or people) and (robotic or auto or automatic) and "709". clas.	US-PGPUB; USPAT	OR	ON	2008/02/27 02:30
S65	8	@ay<"2001" and (call near2 (forward\$3 or back) with (user or client or customer) with (status or presence or (on adj line))) and (human or person or people) and (robotic or auto or automatic) and "709". clas.	US-PGPUB; USPAT	OR	ON	2008/02/27 02:30
S66	0	@ay<"2001" and (call near2 (forward\$3 or back).it. and (fuser or client or customer) with (status or presence or (on adj line))) and (human or person or people) and (robotic or auto or automatic) and "709". clas.	US-PGPUB; USPAT	OR	ON	2008/02/27 02:37
<b>S</b> 67	8	@ay<"2001" and (call near2 (forward\$3 or back)).ti. and ((user or client or customer) with (status or presence or (on adj line))) and (human or person or people) and (robotic or auto or automatic)	US-PGPUB; USPAT	OR	ON	2008/02/27 02:37

S68	0	@ay<"2001" and (call near2 (forward\$3 or back)).ti. and ((user or	US-PGPUB; USPAT	OR	ON	2008/02/27 02:41
S69	142	client or customer) with (status or presence or (on adj iline))) and (human or person or people) and (robotic or auto or automatic) and ((select \$3 or chose or choos\$3 or elect\$3 or determin \$3) with (medium or im or chat or irc)	US-PGPUB:		(A)	
569	142	@ay<"2001" and (call near2 (forward\$3 or back)).ti. and network	USPAT	OR	ON	2008/02/27 14:26
S70	19	@ay<"2001" and (call near2 (forward\$3 or back)).ti. and ((client or user) with (status or online or offline)) and network	US-PGPUB; USPAT	OR	ON	2008/02/27 14:27
S71	3	@ay<"2001" and (call near? (forward\$3 or back)).ti. and ((client or customer or user) with (status or online or offline) with (software or application or program or script or app))	US-PGPUB; USPAT	OR	ON	2008/02/27 14:31
S72	1	"6373836".pn.	US-PGPUB; USPAT	OR	ON	2008/02/27 21:34
S73	1	"6775371".pn.	US-PGPUB; USPAT	OR	ON	2008/02/27 21:37
S74	1	"6865549".pn.	US-PGPUB; USPAT	OR	ON	2008/02/27 22:36
S75	6	"09520306"	US-PGPUB; USPAT	OR	ON	2008/02/27 23:03
S76	0	"09520306".an.	US-PGPUB; USPAT	OR	ON	2008/02/27 23:04
S77	0	"09520306" and @ay<"2001"	US-PGPUB; USPAT	OR	ON	2008/02/27 23:05
S78	0	"09520306" and @ay<"2002"	US-PGPUB; USPAT	OR	ON	2008/02/27 23:05
S79	0	"09520306" and @ay<"2002"	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/27 23:06

S80	6	"09520306"	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/27 23:06
S81	20397	((status or online or offline) with (client or user or customer) with (software or application or program))	US-PGPUB; USPAT	OR	ON	2008/02/28 11:05
S82	7314	@ay<"2002" and ((status or online or offline) with (client or user or customer) with (software or application or program))	US-PGPUB; USPAT	OR	ON	2008/02/28 11:06
S83	521	@ay<"2002" and ((status or online or offline) with (client or user or customer) with (software or application or program)) and (call adj (back or forward\$3))	US-PGPUB; USPAT	OR	ON	2008/02/28 11:06
S84	414	@ay<"2002" and ((status or online or offline) with (client or user or customer) with (software or application or program)) and (call adj (back or forward\$3)) and ((server or center) with (software or application or program))	US-PGPUB; USPAT	OR	ON	2008/02/28 11:07
S85	142	@ay<"2002" and ((status or online or offline) with (client or user or customer) with (software or application or program)) and (call adj (back or forward\$3)) and ((server or center) with (software or application or program)) and "709".	US-PGPUB; USPAT	OR	ON	2008/02/28 11:08

S86	***************************************	@w<"2002" and ((status or online or offline or presence) with (client or user or customer) with (software or application or program)) and (call adj (back or forward\$3)) and ((server or center) with (software or application or program)) and "709". clas.	US-PGPUB; USPAT	OR	ON	2008/02/28 11:08
S87	92	@ay<"2002" and ((status or online or offline or presence) with (client or user or customer) with (software or application or program) and (call adj (back or forward\$3)) and ((server or center) with (software or application or program) with (status or online or offline or presence)]) and "709". clas.	US-PGPUB; USPAT	OR .	ON	2008/02/28 11:09
S88	73	@ay<"2002" and ((status or online or offline or presence) with (client or user or customer) with (software or application or program)) and (call adj (back or forward\$3)) and ((server or center) with (software or application or program) with (status or online or offline or presence)) and "709".clas.	US-PGPUB; USPAT	OR	ON	2008/02/28 11:09

S89	O	@ay-"2002" and ((status or online or offline or presence) with (client or user or customer) with (software or application or program)) and ((call adj (back or forward \$3)) with (instant adj messag\$3)) and ((server or center) with (software or application or program) with (status or online or offline or presence)) and "709" clas.	US-POPUB; USPAT	OR	ON	2008/02/28
S90	2	@ay<"2002" and ((status or online or offline or presence) with (client or user or customer) with (software or application or program)) and ((call adj (back or forward \$3)) with (instant adj messag\$3) and ((server or center) with (software or application or program) with (status or online or offline or presence))	US-PCPUB; USPAT	OR	ON	2008/02/28 11:10
S91	1	"6747970".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/06 18:49
S92	1	@ay<"2002" and ((customer adj presence adj (software or program or application)) with (status) with (monitor \$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	S S S S S S S S S S S S S S S S S S S	ON	2009/11/04 21:28
S93	1	@ay<"2002" and ((customer adj presence adj (software or program or application or agent)) with (status) with (monitor\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/04 21:28

S94	4	@ay<"2002" and (customer adj presence adj (software or program or application))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/04 21:29
S95	4	(customer adj presence adj equipment)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 13:52
S96	13	(customer adj presence adj (software or program or application))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 13:54
S97	354	@ay<"2001" and ((client) with monitor \$3 with status)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 13:55
S98	69	@ay<"2001" and ((client) with monitor \$3 with status) and ((real adj time) with status)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 13:56
S99	15	@ay<"2001" and ((client) with monitor \$3 with status) and ((real adj time) with status) and (call adj back)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 13:56
S100	2	@ay<"2001" and ((client) with monitor \$3 with status with (program or application or software)) and ((real adj time) with status) and (call adj back)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 13:57
S101	2	@ay<"2001" and ((client) with monitor \$3 with status with device with (program or application or software)) and ((real adj time) with status)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 13:58
S102	6	@ay<"2001" and ((client) with monitor \$3 with status with device) and ((real adj time) with status)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 14:03

S103	2	"60170471"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 14:11
S104	2	"60170471"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 14:11
S105	6	("5884032" "5907547" "6064730").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 14:29
S106	6	@ay<"2001" and ((client) with status with device with (application or software or program or applet)) and ((real adj time) with status)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:02
S107	17	@ay<"2001" and ((client) with status with monitor\$3 with (application or software or program or applet)) and ((real adj time) with status)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 18:21
S108	17	@ay<"2001" and ((client or ope or (customer adj presence adj equipment)) with status with (monitor\$3) with (application or software or program or applet)) and ((real adj time) with status)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 18:49
S109	19	@ay<"2001" and ((client or ope or (customer adj presence adj equipment)) with (status or state) with (monitor\$3) with (application or software or program or applet)) and ((real adj time) with status)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	8	2009/11/05 18:49

S110	21	@ay<"2001" and ((client or ope or (customer adj presence adj equipment)) with (status or state) with (monitor\$3) with (application or software or program or applet)) and ((real adj time) with (state or status))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 19:07
S111	23	S110 notl4	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 19:07
S112	2	S110 not S109	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 19:07
S113	22	@ay<"2001" and ((client or ope or (customer adj presence adj equipment)) with (status or state) with (monitor\$5 or audit\$4 or scan\$4 or poll\$4 or query\$4) with (application or software or program or applet)) and ((real adj time) with (status))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 19:21
S114	165	@ay<"2001" and ((client or computer or node or device or cpe or (customer adj presence adj equipment)) with (status or state) with (monitor\$3 or scan\$4 or poll\$4 or query\$4) with (application or software or program or applet)) and ((real adj time) with (status))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ÓN	2009/11/05 19:49

S115	101	@ay<"2001" and ((client or computer or node or device or ope or (customer adj presence adj equipment)) with (status or state) with (monitor\$3 or scan\$4 or poli\$4 or query\$4) with (application or software or program or applet)) and ((real adj time) with (status)) and ((server or host or manager) with (program or application or software or applet))	US-PAT, USOCR; FPRS; DEFWENT; IBM_TDB	OR	ON	2009/11/05 19:50
S116	81	@ay<"2001" and ((client or computer or or or device or ope or (customer adj presence adj equipment)) with (status) with (monitor \$3) with (application or software or program or applet)) and ((set adj time) with (status) and ((set ver or host or manager) with (program or application or software or application or software or application or software or application)	US-PGPUB; USPAT; USOCR; FPPS; DEFWENT; IBM_TDB	OR	ON	2009/11/05 19:50
S117	36	@ay<"2001" and ((client or computer or node or device or cpe or (customer adj persence adj equipment)) with ((status) with (monitor \$3) with (application or software or program or applet)) and ((server or host or manager) with (program or applet) and or software or applet) with (monitor\$3))	US PGPUB; USPAT; USOCR; FPRS, DEFWENT; IBM_TDB	OR	<u> </u>	2009/11/05 19:50

S118	41	@ay<"2001" and ((client or computer or node or device or cpe or (customer adj presence adj equipment)) with ((status) with (monitor \$3) with (application or software or program or applet)) and ((real adj time) with (satus)) and ((server or host or manager or center) with (program or application or software or applet) with (monitor \$3))	US PGPUB; USPAT; USOCR; FPRS, DERWENT; IBM_TDB	OR	ON	2009/11/05 20:48
S119	5	S118 not S117	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:48
S120	84	@ay<"2001" and ((client or computer or node or device or cpe or (customer adj presence adj equipment)) with ((status) with (monitor \$3) with (application or software or program or applet)) and ((real adj time) with (status)) and ((server or host or manager or center) with (program or application or software or or software or or software or or application or software or or application or software	US POPUB; USPAT; USOCR; PFPS, DEFWENT; IBM_TDB	OR	ON	2009/11/05
S121	43	S120 not S118	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 20:56
S122	2	"6747970".pn.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/11/05 21:39
S123	45	"6747970"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/03/22 13:05

S124	2	"6747970".pn.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/03/22 13:05
S125	2	"5964837".pn.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/03/22 13:22
S126	971	(call adj back) with (preference or setting or option or configuration)	US-PGPUB; USPAT	OR	ON	2010/03/30 15:12
S127	12	(call adj back) with (preference or setting or option or configuration) same (status with ((on adj line) or (off adj line)))	US-PGPUB; USPAT	OR	ON	2010/03/30 15:13
S128	12	(call adj back) with (preference or setting or option or configuration) same (status with ((on adj line) or (off adj line)))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/30 15:13
S129	12	(call adj back) with (preference or setting or option or configuration) same (status with ((on adj line) or (off adj line))) and (customer with agent)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/30 15:13
S130	34	(call adj back) with (preference or setting or option or configuration) same (status) and (customer with agent)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/30 15:45
S131	8	@ay<"2001" and ((call adj back) with (preference or setting or option or configuration) same (status)) and (customer with agent)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/30 15:45
S132	9	("6493447" "6651085" "6701366" "7187662"). pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/30 16:21

S133	0	("6493447" "6651085" "6701366" "7187662"). pn. and (("on" or "off" adj line) with status)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/30 16:22
S134	0	("6493447" "6651085" "6701366" "7187662"). pn. and (presenc\$3)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/30 16:22
S135	2	("6493447" "6651085" "6701366" "7187662"). pn. and present	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/30 16:22
S136	6	("6493447" "6651085" "6701366" "7187662"). pn. and available	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/30 16:23
S137	2	("6493447" "6651085" "6701366" "7187662"). pn. and real	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/30 16:29
S138	5	("6493447" "6651085" "6701366" "7187662"). pn. and (status or condition or situation or presence or exist\$6 or (on adj line) or (off adj line))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/30 18:22
S139	7	("6493447" "6651085" "6701366" "7187662"). pn. and (status or condition or situation or presence or exist\$6 or (on adj line) or (off adj line) or access\$5 or connected or busy)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OK	2010/03/30 18:46
S140	2	"6747970".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/04/01 16:31
S141	9	("6493447" "6651085" "6701366" "7187662"). pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/04/01 16:33
S142	2	"6775371".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/04/05 21:01

S143	12	(call adj back) with (preference or setting or option or configuration) same ((status or state or availab\$6 or presenc) with ((on adj line) or (off adj line))) and (customer with agent)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OC	2010/04/05 21:20
S144	12	(call adj back) with (preference or setting or option or configuration) same ((status or state or availab\$6 or presenc \$3) with ((on adj line) or (off adj line))) and (customer with agent)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	<u> </u>	2010/04/05 21:20
S145	4	@ay<"2002" and (call adj back) with (preference or setting or option or configuration) same ((status or state or availab\$6 or presenc \$3) with ((on adj line) or (off adj line))) and (customer with agent)	US PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/04/05 21:20
S146	1	"20020154171"	US-PGPUB; USPAT	OR	ON	2010/04/09 18:18

## EAST Search History (Interference)

## 4/10/10 11:54:53 PM

C:\ Documents and Settings\ achoudhury\ My Documents\ EAST\ Workspaces\ azizul09757728. wsp

<sup>&</sup>lt;This search history is empty>